

Interactive comment on “CO₂ and CH₄ budgets and global warming potential modifications in Sphagnum-dominated peat mesocosms invaded by Molinia caerulea” by Fabien Leroy et al.

Anonymous Referee #1

Received and published: 19 April 2019

The manuscript presents results of mesocosm study of two sets of vegetation samples, representing two stages of fen development: Sphagnum-dominated community and the one invaded by *Molinia caerulea*. The empirical models predicting gross primary production, respiration and methane emission are calibrated. The larger productivity and greenhouse gas emissions from *Molinia* are demonstrated. Despite well-known limitations of using mesocosm-derived vegetation characteristics for natural ecosystems, the study provides useful contribution to our knowledge of carbon budget of wetlands.

I have no general concerns on the paper. There are some specific comments, that hopefully can serve to improvement of the paper quality:

C1

- 1) I recommend to add a photo of mesocosm experiment setup.
- 2) “*Molinia caerulea* appeared in May and increased up to 60% of mesocosms ...” What is the variable with the value 60%? Area, mass?
- 3) “Here, CO₂ and CH₄ fluxes were measured once or twice per week during the growing season (April-October 2015 and April-June 2016) and every two weeks during the winter (November 2015-March 2016)”. Please speculate on the possible effects of diurnal cycle on long-term averages of carbon budget of samples, which you are missing with this measurement frequency.
- 4) In eq. (2), I guess, ER should go to zero when Mleaves=0, as respiration is hardly possible without leaves.
- 5) “The only significant differences concerns the GHG fluxes with more important fluxes in *Sphagnum* + *Molinia* ...” Not clear what do you mean by “important” here.
- 6) “To calculate annual emissions, we run our models with 15 minutes time step using continuous weather and vegetation data.” Please justify the application of models (1-9) calibrated on daytime measurements only (or may be not only daytime, but you don’t indicate the times of measurements in 2.1-2.2 sections) to the annual period.
- 7) In eq. (6), methane emission is dependent on temperature as T^f , whereas in numerous wetland models temperature effect on emission (production) is represented by $q_{10}^{(T/10)}$ term. Please, justify your choice.
- 8) In Table 1, there are no cases denoted by “*” and “***”.
- 9) In eq. (1) and (2) I would denote a, b and c differently, as they get different values.
- 10) “In both vegetation covers, the ER was maximum in July and minimum in January-February (Table 1, Fig. 1a).” Table 1 does not provide information on seasonality.
- 11) “These increases are linked to *Sphagnum* growth and the number of *Molinia caerulea* leaves, respectively.” Why GPPmax should depend on leaves area, whereas

C2

the latter is already included in (4) as separate multiplier?

12) *“Parameter d connected to the WTL had an opposite sign in the two vegetation covers. This difference was difficult to interpret as the large variation of parameter e shifted the relationship between parameter d and the WTL.”* Please be more elaborate in this explanation, as it is not readily understandable at the moment.

Interactive comment on Biogeosciences Discuss., <https://doi.org/10.5194/bg-2019-82>, 2019.